Inspira-Journal of Commerce, Economics & Computer Science (JCECS)
(A National bi-lingual Quarterly Double Blind Open Access Peer Reviewed Refereed Journal)
ISSN : 2395-7069(Print), Impact Factor: (Cosmos 7.650 & I2OR 5.120), Volume 12, No. 03, July-September, 2026, pp. 257-263

Machine Learning in Digital Communication Systems: Applications, Challenges, and a Hybrid Framework for Intelligent Communication

Dr. Jayanti Goyal*

Associate Professor, Department of Computer Science, Kanoria PG Mahila Mahavidyalaya, Jaipur, Rajasthan, India.

*Corresponding Author: goyal.jayanti@gmail.com

Citation: *Goyal, J. (2026). Machine Learning in Digital Communication Systems: Applications, Challenges, and a Hybrid Framework for Intelligent Communication. Journal of Commerce, Economics & Computer Science, 12(03), 257–263. https://doi.org/10.62823/jcecs/12.03.9561*

Abstract

The rapid evolution of wireless networks, the Internet of Things (IoT), smart devices, and data-hungry applications has increased the complexity of digital communication systems. Traditional communication systems mainly rely on mathematical models, pre-configured algorithms, and rule-based decision-making mechanisms. These technologies are still important for reliable communication but may not be able to cope with fast-changing channel conditions, interference, mobility, traffic patterns, and different service requirements. Machine Learning (ML) offers a complementary data-driven paradigm in which communication systems can learn the patterns out of historical and real-time observations and make adaptive decisions. In this paper, we critically review the applications, opportunities, and challenges of ML in digital communication. We focus on signal processing, modulation classification, adaptive modulation, error detection and correction, channel estimation, spectrum sensing, traffic prediction, and networks.

Keywords: *Machine Learning, Digital Communication, Wireless Networks, Signal Processing, Resource Allocation, Network Optimization, Intelligent Communication*.

Introduction

Information and communication technologies have become important to modern social, economic, educational, industrial, and public infrastructures. Information communication systems, which can reliably and efficiently transport information, are the backbone of mobile networks, digital banking, online education, telemedicine, cloud computing, smart cities, autonomous systems, industrial automation, and IoT applications.

The communication environment is very different from the reasonably predictable conditions under which many classic systems were originally developed. Contemporary networks are required to support a vast number of heterogeneous devices, various mobility patterns, fast-changing traffic, interference, variable quality-of-service requirements, and applications extending from standard mobile broadband to ultra-reliable low-latency communication.

The International Telecommunication Union (ITU) identified demanding technical requirements for IMT-2020. These include a peak data rate of up to 20 Gbit/s, user-experienced data rates of up to 100 Mbit/s, approximately 1 ms user-plane latency for suitable URLLC scenarios, a connection density of up to one million devices per square kilometer, and mobility up to 500 km/h (International Telecommunication Union [ITU], 2017).

* *Copyright © 2026 by Author's and Licensed by Inspira. This is an open access article distributed under the Creative Commons Attribution License which permits unrestricted use, distribution, and reproduction in any medium, provided the original work properly cited.*

Such requirements illustrate why future communication systems require mechanisms capable of responding to changing conditions. Machine learning provides one such mechanism. An ML model, unlike conventional systems that operate according to predetermined rules, can learn relationships from data and use them to categorize signals, anticipate traffic, estimate channel characteristics, detect abnormalities, or aid in choices related to resource allocation.

Research on wireless networks has consequently moved toward integrating ML into different layers of the communication architecture. O'Shea and Hoydis (2017), for example, demonstrated how deep learning can be considered for physical-layer communication, including end-to-end communication system design. Chen et al. (2019) further examined neural-network-based ML across diverse wireless networking problems.

The central argument of this paper is therefore not that ML should replace established communication theory, but that ML can function as an intelligence layer over conventional communication infrastructure.

Research Problem

How to combine machine learning with traditional digital communication systems to enhance adaptability, efficiency, dependability, and resilience while regulating computing complexity, latency, energy consumption, security, privacy, and generalization challenges?

Objectives of the Study

- To examine the role of ML in modern digital communication systems.
- The goal is to analyze major applications of machine learning (ML) in both signal processing and network management.
- The goal is to compare different ML approaches based on their communication applications and practical limitations.
- To identify major technological, computational, security, and deployment challenges.
- To propose a conceptual hybrid intelligent communication framework.
- To identify future research directions for lightweight, explainable, secure, and adaptive ML-based communication.

Research Methodology

The research methodology used is qualitative, analytical, and conceptual. The analysis is based on peer-reviewed research literature and international standards for communications. Special emphasis was paid to well-established research on deep learning for physical-layer communication, neural networks for wireless systems, reinforcement learning in communications, and ML-enabled IoT communication.

The report does not claim to have carried out a real 5G/6G experiment or produce new empirical performance data. The author does not connect the published numerical requirements and outcomes to the conceptual framework.

The analytical procedure consists of four stages: literature and standards review, identification of application, analysis of challenge, and hybrid framework construction.

Machine Learning and Digital Communication

Communication systems are traditionally created using mathematically developed algorithms and pre-defined thresholds. Such approaches offer predictability and are still necessary for communication engineering. However, the setting where communication takes place is dynamic. Imagine a mobile user walking through a city. The quality of communication may vary due to user mobility, physical barriers, multipath propagation, interference, network congestion, varying distance from a base station, number of active users, and application requirements.

The ML-enabled communication system can consider multiple observations at once rather than a single threshold.




Figure 1: Conceptual Role of Machine Learning in Digital Communication

Source: Author's conceptual framework based on O'Shea and Hoydis (2017), Chen et al. (2019), and Wang et al. (2020).

Major Applications of Machine Learning

- **Signal Processing**

Communication systems are conventionally constructed utilizing mathematically formulated algorithms and established thresholds. Such methodologies provide consistency and remain essential for communication engineering. Nevertheless, the environment in which communication occurs is fluid. Envision a mobile device user traversing an urban environment. The caliber of communication can fluctuate owing to user mobility, physical obstructions, multipath propagation, interference, network saturation, differing distances from a base station, the quantity of active users, and application demands.

The machine learning-enabled communication system may evaluate numerous observations simultaneously instead of relying on a solitary threshold.

- **Modulation Classification and Adaptive Modulation**

Modulation is the method of encoding digital information for transmission. The typical schemes include BPSK, QPSK, 16-QAM, and 64-QAM. ML can learn properties associated with different modulation schemes. ML can classify an unknown incoming signal. Deep learning is particularly beneficial when the underlying signal patterns are difficult to characterize using manually constructed features. ML can also facilitate adaptive modulation. If the channel circumstances are favorable, a higher-order modulation method can yield better data efficiency, but if the conditions are poor a more resilient modulation technique can be utilized.

- **Error Detection and Correction**

Noise and interference can cause transmission errors. Conventional error-control coding remains fundamental to reliable digital communication. ML can complement these techniques by learning patterns associated with errors and predicting situations in which they are likely to occur. Deep learning has been investigated for detection and decoding-related tasks. A practical system should not automatically replace established coding mechanisms with an ML model; a hybrid approach is more appropriate because conventional coding provides predictable reliability while ML can contribute adaptation and prediction.

- **Channel Estimation**

The communication routes are different due to mobility, physical impediments, multipath propagation, interference, and environmental variations. Traditional channel estimation strategies are based on mathematical assumptions. ML offers an alternative where models learn the correlations between observed signals and channel properties. One big problem is generalization. Training a model on an urban setting does not mean it will perform similarly in a rural or high-mobility environment. Thus, transfer learning, domain adaptability, and ongoing learning are key study fields.

- **Spectrum Sensing and Management**

The radio spectrum constitutes a finite asset. Optimal spectrum usage is more vital when diverse wireless devices utilize shared communication frameworks. Machine learning can examine

historical spectral data to discern occupancy trends and forecast the likelihood of a specific frequency band being occupied. This is especially pertinent to cognitive and intelligent radio systems. Investigations into machine learning for Internet of Things communication also recognize spectrum sharing, dynamic spectrum access, and signal intelligence as significant applications (Jagannath et al., 2019). Nonetheless, distorted or erroneous observations may affect ML-driven spectrum determinations, posing a security risk.

- **Network Traffic Prediction**

Communication traffic depends on time, location, user activity, events, streaming demand, and crises. The ML can learn temporal and spatial patterns from historical traffic and forecast future demand. Such prediction can be backed up by recurrent architectures and other time series methods. Predictive network management helps operators to react before congestion becomes severe. However, traffic patterns could be somewhat different than historically observed patterns depending on unanticipated events.

- **Network Optimization**

Network optimization encompasses routing, topology, capacity, configuration, and service management considerations. The more varied the network architectures develop, the more difficult optimization gets. ML can evaluate the state of the network and suggest configuration modifications. Deep reinforcement learning is especially applicable when decisions are repeated and the repercussions of actions can be evaluated through feedback. Luong et al. (2019) explored applications of deep reinforcement learning in dynamic network access, routing, resource sharing, caching, security, and other relevant communication issues.

- **Resource Allocation**

Communication systems have limited resources, such as spectrum, bandwidth, transmission power, computer capacity, and network time. The resource allocation is even more complicated when users have various requirements. Reinforcement learning excels in this type of situation. An agent observes a state, chooses an action, receives feedback, and adjusts its policy, etc. The main difficulty is to optimize the solution quality and the decision delay and computational cost.

- **Fault Detection and Self-Healing**

There are several hardware and software components in communication networks. Faults might be due to equipment malfunction, configuration difficulties, interference, congestion, or unanticipated environmental factors. ML-based anomaly detection can detect deviations from typical network behavior. This paves the way for self-healing networks that can detect faults and recommend corrective actions. But autonomous remedial action needs safeguards because a bad ML choice could potentially trigger a network problem.

- **Energy-Efficient Communication**

Energy efficiency matters for base stations, servers, edge devices, IoT nodes, and mobile devices. ML can estimate traffic demand and identify periods when selected resources can operate at lower capacity. This can perhaps reduce wasteful energy consumption. But the ML itself takes computing energy. Therefore, the appropriate research question is not simply how accurate the ML model is, but how much communication benefit is achieved per unit of computational and communication energy.

Comparative Analysis of ML Techniques

ML Technique	Communication Application	Major Strength	Major Concern
Decision Tree	Classification	Interpretable	Overfitting
Random Forest	Classification	Robustness	Larger model
SVM	Signal classification	Effective with smaller datasets	Scaling
ANN	Prediction	Nonlinear modelling	Training requirements
CNN	Signal classification	Automatic feature learning	Computational cost
LSTM	Traffic/channel prediction	Sequential modelling	Higher complexity
Autoencoder	Signal representation	Feature learning	Training sensitivity
Reinforcement Learning	Resource allocation	Adaptive decisions	Training complexity

The comparison indicates that no single ML algorithm is universally appropriate. Algorithm selection should depend on dataset size, accuracy requirements, latency, computing resources, energy constraints, security requirements, and the nature of the communication problem.

Challenges of ML in Digital Communication

- **Computational Complexity**

Deep learning models may require substantial memory and processing power. This is problematic for mobile, IoT, sensor, and edge devices. Lightweight architectures, pruning, quantization, knowledge distillation, and edge intelligence can help address this challenge.

- **Data Requirements**

ML performance depends heavily on training data. A model trained only under limited environmental conditions may fail when deployed in substantially different conditions. Future datasets should cover multiple propagation environments, mobility conditions, traffic profiles, and interference levels.

- **Latency**

Communication applications may require extremely rapid decisions. The approximately 1 ms user-plane latency target associated with URLLC scenarios illustrates why computational delay cannot be ignored (ITU, 2017). Consequently, model accuracy must be considered together with inference time.

- **Model Generalization**

Communication environments continuously change. A model that performs well under training conditions may perform poorly under unseen conditions. Promising approaches encompass transfer learning, constant learning, online learning, domain adaptation, and federated learning.

- **Energy Consumption**

ML training and inference require energy. This is particularly significant for battery-powered communication devices. Future research should optimize accuracy, latency, and energy simultaneously rather than treating accuracy as the only performance criterion.

- **Security and Privacy**

ML presents new attack vectors, including data poisoning, adversarial inputs, model manipulation, model theft, privacy leakage, and malicious training data. A poorly managed model can significantly impact routing, resource allocation, spectrum selection, or fault-management operations, making communication networks particularly vulnerable.

Proposed Hybrid Intelligent Communication Framework

Based on the literature and analysis debate, in this study, a Hybrid Intelligent Communication Framework (HICF) is proposed.




Figure 2: Hybrid Intelligent Communication Framework

The framework is structured in five key stages: (1) Data acquisition: gather signal, channel, traffic, user, and network observations; (2) Intelligence layer: use appropriate ML models for classification, prediction, or optimization; (3) Decision layer: translate model outputs into communication decisions; (4) Conventional execution: employ existing communication mechanisms; and (5) Feedback: track performance and use new observations to update the model. The conclusion is that classic communication has reliability and structure, but ML has intelligence and adaptability.

Discussion

The analysis indicates that ML is particularly suitable for communication problems with five conditions: the environment changes frequently, large quantities of data are available, decisions need to be repeated, mathematical modeling is difficult or incomplete, and multiple factors simultaneously influence the decision.

Many of these requirements can be addressed through resource allocation, traffic prediction, spectrum management, signal classification, and network optimization. But ML is not a panacea. Even if a model is quite precise, it might not be suitable if it takes too long to infer, uses too much memory, uses too much energy, or doesn't perform well under unforeseen scenarios.

Criterion	Key Research Question
Accuracy	How correctly does the model perform?
Latency	How quickly does it make a decision?
Energy	How much energy does it consume?
Complexity	How much computation is required?
Adaptability	Can it respond to changing conditions?
Robustness	Can it tolerate noise/interference?
Generalization	Can it work in unseen environments?
Security	Can it resist attacks?
Explainability	Can its decisions be understood?

Future Research Directions

- **Lightweight ML**

Edge and IoT contexts require smaller models due to limited memory and compute resources.

- **Edge Intelligence**

Moving ML inference closer to the users can help reduce the communication delay and dependency on centralized cloud infrastructure.

- **Explainable AI**

Communication operators need to comprehend the rationale behind an intelligent system's choice of a given configuration, particularly when decisions can affect vital services.

- **Federated Learning**

Federated learning can enable widespread training of models while avoiding the need to centralize sensitive communication data. Communication overhead and security are still key concerns, however.

- **Continual Learning**

Promising approaches encompass transfer learning, constant learning, online learning, domain adaptation, and federated learning.

- **Secure AI**

The communication systems of the future should consider network security and ML security jointly, e.g., adversarial robustness, poisoning resistance, and privacy protection.

- **Experimental Validation**

The suggested architecture should next be evaluated through software-defined radios, public communication datasets, 5G/6G testbeds, network simulators, edge-computing devices, and controlled adaptive-modulation experiments.

Limitations of the Study

The research is analytical and conceptual in nature and not experimental. It does not provide new measurements from an actual 5G or 6G testbed. Thus, the suggested hybrid intelligent communication framework should be treated as a conceptual design that requires empirical validation. In the future, research should conduct controlled experiments and evaluate models on shared datasets and established criteria, including accuracy, inference delay, memory demand, energy consumption, robustness, and adaptability.

Conclusion

It is revolutionizing the design and management of digital communications systems. Its main contribution is automation, but also the inclusion of learning, prediction, adaptability, and intelligent decision-making into communication operations.

The survey reviewed ML applications in signal processing, modulation classification, adaptive modulation, error detection, channel estimation, spectrum management, traffic prediction, network optimization, resource allocation, fault management, and energy-efficient communication.

The analysis also shows that the value of ML varies greatly depending on the communication situation. ML is highly appropriate in dynamic contexts, recurrent judgments, massive datasets, and complicated interactions. However, computational complexity, latency, data reliance, generalization, energy consumption, security, privacy, and explainability are still the major challenges. The suggested hybrid intelligent communication architecture offers a practical conceptual view.

References

1. Chen, M., Challita, U., Saad, W., Yin, C., & Debbah, M. (2019). Artificial neural networks-based machine learning for wireless networks: A tutorial. IEEE Communications Surveys & Tutorials, 21(4), 3039–3071. https://doi.org/10.1109/COMST.2019.2926625
2. International Telecommunication Union. (2017). Minimum requirements related to technical performance for IMT-2020 radio interface(s) (Report ITU-R M.2410-0). ITU Radiocommunication Sector.
3. International Telecommunication Union. (2021). Detailed specifications of the terrestrial radio interfaces of International Mobile Telecommunications-2020 (IMT-2020) (Recommendation ITU-R M.2150). ITU Radiocommunication Sector.
4. Jagannath, J., Polosky, N., Jagannath, A., Restuccia, F., & Melodia, T. (2019). Machine learning for wireless communications in the Internet of Things: A comprehensive survey. Ad Hoc Networks, 93, 101913. https://doi.org/10.1016/j.adhoc.2019.101913
5. Luong, N. C., Hoang, D. T., Gong, S., Niyato, D., Wang, P., Liang, Y.-C., & Kim, D. I. (2019). Applications of deep reinforcement learning in communications and networking: A survey. IEEE Communications Surveys & Tutorials, 21(4), 3133–3174.

   https://doi.org/10.1109/COMST.2019.2916583
6. O'Shea, T. J., & Hoydis, J. (2017). An introduction to deep learning for the physical layer. IEEE Transactions on Cognitive Communications and Networking, 3(4), 563–575.

   https://doi.org/10.1109/TCCN.2017.2758370
7. Wang, J., Jiang, C., Zhang, H., Ren, Y., Chen, K.-C., & Hanzo, L. (2020). Thirty years of machine learning: The road to Pareto-optimal wireless networks. IEEE Communications Surveys & Tutorials, 22(3), 1472–1514. https://doi.org/10.1109/COMST.2020.2965856.

❑❑❑