BRICK KILN INDUSTRIES' ANALYSIS OF DEFAULTING COMPLIANCE WITH THE POLLUTION CONTROL BOARD'S GUIDELINES IN BASSI TEHSIL OF JAIPUR

Dr. Abhishek Baldwa* Dr. Krishan Mohan**

ABSTRACT

Raw and paved bricks have been used since ancient times for housing construction in India. The manufacturing of clay bricks is counted as a small scale or cottage scale industries in Rajasthan. There are one hundred brick kiln industries operating in Bassi tehsil, though, these industries have contributed significantly in social and economic development in the study area. But there is also the challenge of environ degradation by them, so it is a challenging task to environ friendly development. Proper compliance of environmental rules and regulation or guidelines is necessary for sustainable development. Rajasthan State Pollution Control Board (RSPCB) issued the guidelines under the Air Act, 1981for establishment and operation for brick kiln industries in the state.

Keywords: RSPCB, Abadi, Prominent Place, Guidelines, Areal Distance, Natural Stream.

Introduction


Jaipur is the most populated district in the eastern Rajasthan state. District head quarter Jaipur is the largest city and capital of the state.16 tehsils in this district, Bassi is a major sub district and located in the east direction of the district. Bassi tehsil is situated between 26° 40' to 26° 58' north latitudes and 75° 54' to 76° 13' east longitudes. Total geographical area of the tehsil is 654.69 km2. The elevation of the study area is mainly plains, in between, the Aravalli hills are located somewhere and 'Dund' is a small river, which flows in the east part, drains from south part. The Meena schedule tribe principally resides in this region. Land is the major major resource of this area. Apart from this, agriculture and related activities are mainly here for economic development. Due to the development plans of the government, local bodies, organizations etc, small industries have developed. The brick kiln industry has been established the study area for the last 40 years due to the availability of the market from close distance to a large city Jaipur and the availability of clay to make green bricks locally as raw material.

Review of Literature

Awan (1998) pointed out that the brick kilns generally situate at isolated place. Kaur (2002) indicated that the environ pollution is detrimental impact of vicinity area of brick kiln site in Jaipur district. Yadav (2003) studied by using remote sensing techniques in New Delhi and concluded that the Bore wells which are constructed for the water supply to green brick making, the resulting effect is lowering down ground water table. Iqbal (2006) concluded in his research paper that BKs industries contributed air pollution. Joshi (2008) wrote in his research paper that people living near brick kiln sites are more likely to suffer from illness related respiratory system cause by kiln than living far from them. According Khan et al (2008) these industries make negative impact on soil, air, vegetations and human health. Kim et al (2004) highlights the adverse impact on agricultural crops in Vietnam. Fatima (2011) concreted the impact on surrounding vegetations. She analyzed that concentration of SO2, NO2, SPM at close the vicinity are of kiln site was found to be above the permissible level during the operation of kiln. After review of above literature is necessary to find out the implementation gape of environment policies.

^{*} Assistant Professor Geography, Government College Surajgarh, Jhunjhunu, Rajasthan, India.

Incharge, Faculty of Arts, LBS PG College, Jaipur, Rajasthan, India.



Objectives of the Study

 The aims of this study to investigate the compliance status in implementation of environ policies/acts.

Data Base and Methodology

The unit of this study was Gram Panchayat. Sample sites were selected by stratification than random sampling. Primary data was collected by field visit of 16 sample sites, personal interviews of industry owner, local people etc. Source of secondary data were SDO office Bassi, Mining Engineer office Jaipur, RSPCB website, Patwarbhawan Google maps etc and consultation of relevant books and literatures.

There are a total of 44 gram panchayats in Bassi tehsil. Out of which only 16 gram panchayats have brick kilns installed, the remaining 28 gram panchayats do not have any brick kilns. Recently there are five newly formed gram panchayats are Mundali, Himmatpura, Vijaypura, Bagrana and Sumel.

Table 1: Field Study of Selected Brick Kiln Sites: Follow up of Guidelines

Brick Kiln ID	^Permission from mining Yes/No	^NOC from RSPCB# Yes/No	AD@ from Abadi (M)	AD@ from NH-B*/O R-B** (M)	AD@ from Other BK(M)	Public Place in Minimum Radial Distance	Water body in Minimum Radial Distance	Water flows toward the water body is getting obstructed by BK site	33% Green Covered Area Covered by Plantation	NOC from CGWA@@	Stack Height According rules	Approach road availability	Sign board availability
	^Permis	OON	IA	AD@	AD	Place in	Water	Water flov gettin	33% Greer	Ň	Stack	Appr	Siç
01	Yes	Yes	1000	600*	700	Yes	No	No	No	No	Yes	Yes	Yes
02	Yes	Yes	1000	800*	250	No	No	No	No	No	Yes	Yes	Yes
03	Yes	No	200	0**	150	No	No	No	No	No	Yes	Yes	Yes
04	Yes	Yes	1500	225*	10	Yes	Yes	No	Yes	No	Yes	Yes	Yes
05	Yes	Yes	1500	30*	200	No	Yes	Yes	No	No	Yes	Yes	No
06	Yes	No	1000	2000**	10	Yes	No	No	No	No	Yes	Yes	No
07	Yes	Yes	1000	200*	250	Yes	Yes	No	No	No	Yes	No	Yes
08	Yes	No	1000	2000*	400	No	Yes	Yes	Yes	No	Yes	Yes	No
09	Yes	No	1000	100**	10	No	No	No	No	No	Yes	Yes	Yes
10	Yes	No	1000	1000**	10	No	Yes	Yes	No	No	Yes	Yes	No
11	Yes	Yes	1000	250**	20	Yes	Yes	Yes	No	No	Yes	Yes	No
12	Yes	Yes	1000	20**	100	No	No	No	No	No	Yes	Yes	Yes
13	Yes	No	200	400**	225	No	No	No	No	No	Yes	Yes	Yes
14	Yes	No	200	200**	300	No	No	No	No	No	Yes	No	No
15	No	No	500	2200*	300	No	No	No	No	No	Yes	Yes	No
16	No	No	1090	1000**	3000	No	Yes	No	No	No	Yes	No	No

Source: Primary data by survey and ^secondary data from SDO office BASSI

Table 2: Analyze the Data by Assigning a Weighting to each Rule

Tuble 2. Analyze the bata by Assigning a Weighting to each Nate														
Brick Kiln ID	Permission from mining Yes/No	NOC from RSPCB# Yes/No	AD@ from Abadi (M)	AD@ from NH-B*/O R-B** (M)	AD@ from Other BK(M)	Public Place in Minimum Radial Distance	Water body in Minimum Radial Distance	Water flows toward the water body is getting obstructed by BK site	33% Green Covered Area Covered by Plantation	NOC from CGWA@@	Stack Height According rules	Approach road availability	Sign board availability	Total marks out off 13
01	1	1	0	1*	0	0	1	1	0	0	1	1	1	8
02	1	1	0	1*	0	1	1	1	0	0	1	1	1	8 9 7
03	1	0	0	0**	0	1	1	1	0	0	1	1	1	
04	1	1	1	1*	0	0	0	1	1	0	1	1	1	9
05	1	1	1	0*	0	1	0	0	0	0	1	1	0	9 6 6
06	1	0	0	1**	0	0	1	1	0	0	1	1	0	
07	1	1	0	1*	0	0	0	1	0	0	1	0	1	6
80	1	0	0	1*	0	1	0	0	1 0	0	1	1	0	6 6 8
09	1	0	0	1**	0	1	1	1	0	0	1	1	1	
10	1	0	0	1**	0	1	0	0	0	0	1	1	0	5 5 8
11	1	1	0	1**	0	0	0	0	0	0	1	1	0	5
12	1	1	0	0**	0	1	1			0	1	1	1	
13	1	0	0	1**	0	1	1	1	0	0	1	1	1	8
14	1	0	0	1**	0	1	1	1	0	0	1	0	0	6 6 5 ΣΧ
15	0	0	0	1*	0	1	1	1	0	0	1	1	0	6
16	0	0	0	1**	1	1	0	1	0	0	1	0	0	5
N=16	14	7	2	13	1	11	9	12	2	0	16	13	8	ΣX =108
														=108

^{*}NH=National Highway's Boundary

#Rajasthan State Pollution Control Board

Data Analysis and Out Comes

It is clear from table that out of the total 16sites studied; only 14 sites have taken legal permission from the Department of Mining. And there were 2 BK sites which are mining the soil, without the legal permission of the Department of Mining. Thus the number of brick kilns for legal mining was 87.5% and the number of illegal miner's sites was 12.5%.

There are 7 Brick kilns were operating out of 16 in total with NOC from RSPCB. Whose total was 42.75% and the number of BK's operating without the NOC from RSPCB was 9. Their total percentage share was 56.25%.

According to the guidelines of Rajasthan state Pollution Control Board, any brick kiln should be at least 1500 meter aerial distance away from the *Abadi* (Revenue village boundary). Whereas only 12.5% of sample sites were installed at a minimum 1500 meter aerial distance.

According to the guidelines of Rajasthan state Pollution Control Board, any brick kiln should be at least 100 meter aerial distance away from the national highway and 50 meters from other road. There were 81.25 % sample BK's sites following this rule.

According to the guidelines of Rajasthan state Pollution Control Board, any brick kiln should be at least 500 meter aerial distance away from any prominent public place (worship places, Hospitals, community parks etc.). There were 68.75 % sample BK's sites following this rule.

^{**}Other Road boundary

[@]Aerial Distance

^{@@}Central Ground Water Authority

As per the rules, any brick kiln should be at a minimum aerial distance of 1500 meters from any other brick kiln. During the sample study, it was observed that there were only 6.25% brick kilns that were to be executing with this rule.

According to the rules of Pollution Board, there should not be any water body like; natural stream, river, nallah, pond and drain, in 1500 meters areal distance from vicinity area of any brick kiln. But at the time of field study, it has been observed that only 56.25% of the sample sites are following this rule.

An in-depth study of the brick kilns of Bassi Tehsil observed that 25% of the total sample sites are obstructing the flow area of any natural water body.

Only 12.50% kilns of the total brick kiln's vicinity area were 33% area plantation. Whereas, according to RSPCB's rules, around every brick kiln should compulsorily be planted on 33% area to control the pollution.

As per the rules, any brick kiln should be a sign board with necessary details (name, complete address, capacity, validity etc.) of BK's industry. It has been seen that 50% sites following this rule.

16 sites were selected by stratification then random sampling for a case study of Bassi tehsil.13 rules were kept in mind for each site according RSPCB's guidelines, thus assigning a score weight of one point to each rule, the mean value of points of all rules is 6.75, whose total value is 51.92%. Thus, we see that only 51.92% issues are implemented of environmental policies or acts by the brick kilns installed in Bassi tehsil. It means that more than 50% brick kiln industries are illegal in Bassi tehsil. There is a big gap in implementation of environmental policies or acts.

References

- 1. Awan, M.Z. 1998. Bonded Brick Kiln Workers-1989 Supreme Court Judgment and After a Study by All Pakistan Federation of Labor. Rawalpindi, APFOL, pp. 1-2
- Fatima, I. 2011. Impact of brick kiln emissions on the ambient air quality and vegetation: A Case Study of District Budgam, M.Phil. Dissertation ,Department of science, University of Kashmir, Srinagar p 90-91
- 3. Iqbal, M.J. 2006. Bonded labor in brick kiln industry of Pakistan. *The Lahore Journal of Economics*, 11(1), pp. 99-107.
- 4. Ismail, M. et al, 2012. Effect of brick kilns emissions on heavy metal(Cd and Cr) content of contiguous soil and plants, *Sarhad J. Agric. Vol.28, No.2, p 166*
- 5. Joshi S.K., 2008.Environmental health effects of brick kilns in Kathmandu valley. Kathmandu University Medical Journal (KUMJ). Jan-Mar; 6(1):3-11
- 6. Kaur, M.,2002. Managerial problems of Brick Industries in Rajasthan (A case study if selected units in Rajasthan) Unpublished Thesis, university of Rajasthan Jaipur. p176
- 7. Khan,F. R. 2011. Brick kiln emissions affect crop yields, http://www.scidev.net/en/south-asia/news
- 8. Khan R. and Vyas H.2008. A study of impact of brick industries on environment and human health in Ujjain city (India), *Journal of Environmental Research And Development* Vol. 2 No. 3, January-March, p,423-424
- Kim Oanh, N.T.et al, 2009. Integrated management strategies for brick kiln emission reduction in Vietnam: A case study. *International Journal of Environmental Studies*. Vol.1, Feb.s, p 113-124
- 10. Yadav, S.K., 2003. Remote sensing based management of degraded soil due brick industries for sustainable development- A case study. *J Hum. Ecol.*, 14(6): p 453
- 11. www.environment.rajasthan.gov.in.

